EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8	(FFT and excising and threshold and ((narrow adj band) with interference))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 07:12
L2	2213	375/148	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 07:15
L3	2055	375/285	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 07:14
L4	4026	375/346	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 07:14
L5	1063	375/144	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 07:15
L6	16	(FFT and excising and (frequency near bin))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 07:17
L7	4	(FFT and excising and (frequency near bin) and (averag$3 with power))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 07:22

EAST Search History

L8	1	"10/396118"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 07:24
L9	21	("4613978" | "4658426" | "5325204" | "5383225" | "5410750" | "5422912"). PN. OR ("5612978").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/31 07:24
L10	4	("5410750"|"5612978").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 07:24
L11	0	10/672524	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 07:24
L12	207	FFT and (averag$3 with power) and (excis$3 or (interference with cancell$5))	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/31 07:50
L13	110	FFT and (averag$3 with power) and (excis$3 or (interference with cancell$5)) and ifft	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/31 07:24
L14	0	FFT and (future with (averag$3 with power)) and (excis$3 or (interference with cancell$5)) and ifft	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/31 07:24
L15	1	(FFT and (averag$3 with power) and (excis$3 or (interference with cancell$5)) and ifft).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/31 07:24
L16	48	(FFT and excising)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 07:24
L17	8	(FFT and (averag$3 with power) and (excis$3 or (interference with cancell$5)) and ((previous or future) with power))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 07:26

L18	0	(FFT and (averag$3 with power) and (excis$3 or (interference with cancell$5)) and ((previous or future) with power)).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/31 07:24
L19	0	(FFT and (averag$3 with power) and (excis$3 or (interference with cancell$5)) and ((previous or future) with power)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 07:24
L20	29	(FFT and excising and threshold)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 07:24
L21	2	"6477196".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 07:28
L22	3	"6560445".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 07:29
L23	2	"20040253365".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 07:31
L24	1	"20070098094".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 07:31

EAST Search History

L25	0	"200400253365".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 07:39
L26	2	"20060176965".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 07:42
L27	2	"6,477,196".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 07:43
L28	14	12 and 2	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/31 07:51
L29	6	12 and 3	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/31 07:53
L30	21	12 and 4	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/31 07:57
L31	10	12 and 5	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/31 07:55

Google

| fft "average power" excising threshold | Search | Advanced Search Preferences |

Web   Results **1** - **10** of about **29** for **fft "average power" excising threshold**. (0.38 seconds)

Direct sequence spread spectrum communications receiver and method ...
A method of **excising** one or more narrow-band interfering signals in a direct ... by fast
Fourier transforms (**FFT**) 227 to obtain the frequency spectrum. ...
www.freepatentsonline.com/6477196.html - 42k - Cached - Similar pages

Radio communication system and method of operation - Patent 6560445
Similarly the phase or phase change may be extended from the **FFT** and then an ..... After
excising these interference signals, the cepstral domain allows ...
www.freepatentsonline.com/6560445.html - 70k - Cached - Similar pages
[More results from www.freepatentsonline.com]

Direct sequence spread spectrum communications receiver and method ...
A method of **excising** one or more narrow-band interfering signals in a direct ... by
comparing the magnitude of the signals in the frequency bins to a **threshold**.
www.patentstorm.us/patents/6477196-description.html - 37k - Cached - Similar pages

[PDF] Interference Suppression in Spread Spectrum Systems - Spread ...
File Format: PDF/Adobe Acrobat
significantly enhanced by **excising** the interference prior to .... ference is 20dB above the
average power of the signal. The. **average power** of the broadband ...
ieeexplore.ieee.org/iel3/4268/12241/00563782.pdf?arnumber=563782 - Similar pages

[PDF] IEEE standard for terminology and test methods for analog-to ...
File Format: PDF/Adobe Acrobat
from the DFT by **excising** the signal harmonic frequencies, f ...... If a coherent **FFT** or DFT
based test is assumed, then the usual non-integer restrictions ...
ieeexplore.ieee.org/iel5/7400/20108/00929859.pdf - Similar pages

[PDF] Origins of Open-Channel Noise in the Large Potassium Channel of ...
File Format: PDF/Adobe Acrobat
After **excising** a patch, a constant voltage, usually 2. on May 13, 2007. www.jgp.org ....
Average power spectra were divided by the transfer function of the ...
www.jgp.org/cgi/reprint/104/5/857.pdf - Similar pages

Direct sequence spread spectrum communications receiver and method ...
A method of **excising** one or more narrow-band interfering signals in a direct ... a wide-
band signal at the mixer output withreduced **average power** per hertz. ...
www.patentgenius.com/patent/6477196.html - 46k - Supplemental Result -
Cached - Similar pages

Radio communication system and method of operation - Patent 6560445
This is a desirable tradeoff when the **average power** of transmission would not ... inverse
Fourier transform of the log magnitude of the **Fourier transform** of ...
www.patentmonkey.com/PM/patentid/6560445.aspx - 184k - Supplemental Result -
Cached - Similar pages

System and method for removing interfering narrowband signals from ...
An inverse **FFT** circuit can place the segments of signals back within the time domain. ...
20070098094 - Peak-to-**average power** ratio reduction with **threshold** ...

www.freshpatents.com/System-and-method-for-removing-interfering-narrowband-signals-from-wide-bandwidth-re... - 40k - Supplemental Result - Cached - Similar pages

Method and apparatus for excision of narrowband interference ...
The **FFT** produces contiguous frequency bins that are examined to identify narrowband ...
20070098094 - Peak-to-**average power** ratio reduction with **threshold** ...
www.freshpatents.com/Method-and-apparatus-for-excision-of-narrowband-interference-signals-in-navigation-o... - 38k - Supplemental Result - Cached - Similar pages

1 2 3   **Next**

Try Google Desktop: search your computer as easily as you search the web.

fft "average power" excising thresho | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

Google

site:www.freepatentsonline.com fft "average p [Search]   Advanced Search
                                                              Preferences

Web   Results **1 - 4** of **4** from **www.freepatentsonline.com** for **fft "average power" excising threshold**. (0.0

Tip: Try removing quotes from your search to get more results.

Direct sequence spread spectrum communications receiver and method ...
A method of **excising** one or more narrow-band interfering signals in a direct ... by fast
Fourier transforms (**FFT**) 227 to obtain the frequency spectrum. ...
www.freepatentsonline.com/6477196.html - 42k - Cached - Similar pages

Radio communication system and method of operation - Patent 6560445
Similarly the phase or phase change may be extended from the **FFT** and then an ..... After
excising these interference signals, the cepstral domain allows ...
www.freepatentsonline.com/6560445.html - 70k - Cached - Similar pages

Architecture tool and methods of use - Patent 20040253365
The calculated SRS **threshold** power was P.sub.th.apprxeq.62 MW, corresponding to an
average power of P.sub.avg=43 mW. The P.sub.in measured before the fiber ...
www.freepatentsonline.com/20040253365.html - 291k - Cached - Similar pages

Architecture tool and methods of use - Patent 6986739
The calculated SRS **threshold** power was Pth≈62 MW, corresponding to an **average
power** of Pavg≈43 mW. The Pin measured before the fiber was 48.5 mW; however, ...
www.freepatentsonline.com/6986739.html - 323k - Cached - Similar pages

*In order to show you the most relevant results, we have omitted some entries very similar to
the 4 already displayed.*
If you like, you can repeat the search with the omitted results included.

Download Google Pack: free essential software for your PC

site:www.freepatentsonline.com fft ' [Search]

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

Google

| fft "average power" excising feedback | Search | Advanced Search Preferences |

Web   Results **1 - 10** of about **22** for **fft "average power" excising feedback**. (**0.59** seconds)

[PDF] Interference Suppression in Spread Spectrum Systems - Spread ...
File Format: PDF/Adobe Acrobat
significantly enhanced by **excising** the interference prior to .... ference is 20dB above the
average power of the signal. The. **average power** of the broadband ...
ieeexplore.ieee.org/iel3/4268/12241/00563782.pdf?arnumber=563782 - Similar pages

[PDF] IEEE standard for terminology and test methods for analog-to ...
File Format: PDF/Adobe Acrobat
from the DFT by **excising** the signal harmonic frequencies, f ...... If a coherent **FFT** or DFT
based test is assumed, then the usual non-integer restrictions ...
ieeexplore.ieee.org/iel5/7400/20108/00929859.pdf - Similar pages

[PDF] Simultaneous measurement of metabolic and acoustic power and the ...
File Format: PDF/Adobe Acrobat
of a Canary fast **Fourier transform** (**FFT**) spectrogram obtained. from 1·s of normal calling.
...... difficulty of repeatably **excising** small muscles. ...
jeb.biologists.org/cgi/reprint/208/8/1495.pdf - Similar pages

[PDF] Origins of Open-Channel Noise in the Large Potassium Channel of ...
File Format: PDF/Adobe Acrobat
After **excising** a patch, a constant voltage, usually 2. on May 13, 2007. www.jgp.org ....
Average power spectra were divided by the transfer function of the ...
www.jgp.org/cgi/reprint/104/5/857.pdf - Similar pages

System and method for removing interfering narrowband signals from ...
An inverse **FFT** circuit can place the segments of signals back within the ... 20070098098 -
Method and apparatus for providing channel quality **feedback** in an ...
www.freshpatents.com/System-and-method-for-removing-interfering-narrowband-signals-
from-wide-bandwidth-re... - 40k - Supplemental Result - Cached - Similar pages

Method and apparatus for excision of narrowband interference ...
The **FFT** produces contiguous frequency bins that are examined to identify ... 20070098098
- Method and apparatus for providing channel quality **feedback** in an ...
www.freshpatents.com/Method-and-apparatus-for-excision-of-narrowband-interference-
signals-in-navigation-o... - 38k - Supplemental Result - Cached - Similar pages

[PDF] Ofcom IC Final Report Vol2
File Format: PDF/Adobe Acrobat - View as HTML
A common approach is to define a threshold based on the **average power** in the ...
Ranheim presents a thresholding scheme which is applied to **excising** FLI ...
www.ofcom.org.uk/research/technology/overview/ese/intcx/vol2.pdf - Similar pages

Architecture tool and methods of use - Patent 20040253365
The **average power** measured at the output of the waveguide was 220 mW (220 .mu. ......
After ablating or **excising** unwanted cells or tissue in the target area ...
www.freepatentsonline.com/20040253365.html - 291k - Cached - Similar pages

[PDF] Spread-Spectrum and CDMA Technology
File Format: PDF/Adobe Acrobat

in Rayleigh fading and assuming equal **average power** in all branches is given by **......**
"**excising**" or "soft-limiting" appropriate interference spectral **...**
doi.wiley.com/10.1002/0471738646.ch10 - Similar pages

电气类术语- [Translate this page]
excising lead former ==> 链式带芯片切割/引线成形机 excitation ==> 励磁,激励 **....** external
feedback type magnetic amplifier ==> 外反馈形磁放大器 **...**
www.acmetranslation.com/terminology/dq.htm - Similar pages

1 2   **Next**

Try Google Desktop: search your computer as easily as you search the web.

fft "average power" excising feedbac [Search]

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

SCIRUS
for scientific information only

Questions about DVT?

inate

| About Us | Newsroom | Advisory Board | Submit Web Site | Help | | Contact Us |

Basic Search   Advanced Search   Search Preferences

fft AND "average power" AND excising   [Search]

☑ Journal sources ☑ Preferred Web sources ☑ Other Web sources ☐ Exact phrase

Searched for::   :All of the words:**fft** AND **"average power"** AND **excising**

Found::   :**8 total | 0 journal results | 6 preferred web results | 2 other web results**

Sort by::   :**relevance | date**

[Save checked results]——[Email checked results]——[Export checked results]——•

Or
Al

☐ **1.** Noise-excising Communications Receiver
Latham, Nicholas Hugh James, *UNITED KINGDOM PATENT APPLICATION*, Mar 1997
patno:GB2304000
...set 6-12dB higher than the **average power** of the remaining signals across...impulses   [F
and is discarded. A **FFT** is performed on each of the...samples prior to performing a **FFT**.
Return to Top of Patent CLAIMS...across the signal band; (ii) **excising** impulsive noise
above the threshold...
Full text available at patent office. For more in-depth searching go to LexisNexis·
view all 6 results from Patent Offices
similar results

☐ **2.** EXAMINING TISSUE ACCORDING TO DIELECTRIC PROPERTIES THEREOF
HASHIMSHONY, Dan, *PATENT COOPERATION TREATY APPLICATION*, Jul 2003
patno:WO03060462
...surgical inaccuracy and inadequacy in **excising** the appropriate tissue; 4) failure
to...Both pulses are then transformed by a **FFT** function to the frequency domain,
i.e...since such a known technique relies on **average power** measurement, and not on
voltage measurement...
Full text available at patent office. For more in-depth searching go to LexisNexis·
view all 6 results from Patent Offices
similar results

☐ **3.** PERFORMANCE OF AN OFDM SPREAD SPECTRUM COMMUNICATIONS SYSTEM [PS-25K]
Jun 1998
...system to a system using the **FFT**. 2. MODULATED LAPPED TRANSFORMS...M = 64.
Whereas non-windowed **FFT** basis vectors yield sidelobes...that is signicantly above the
average power of the signal. The pur- pose...diversity, when the transform is the **FFT**
and MLT. In all cases a 64-bin...
[http://www.ecse.rpi.edu/homepages/saulnier/crl/papers/...]
similar results

☐ **4.** Direct sequence spread spectrum communications receiver and method for efficient
narrow-band signal excision
Swanke, Christopher J. / White, Steven L., *UNITED STATES PATENT AND
TRADEMARK OFFICE GRANTED PATENT*, Nov 2002

patno:US6477196
...mixer output with reduced **average power** per hertz. In addition...fast Fourier transforms (**FFT**) 227 to obtain the frequency spectrum. The **FFT** is known in the art and...signals are inhibited thus **excising** the narrow-band interfering...using a pseudo-real-time **FFT** followed by a bin magnitude...
Full text available at patent office. For more in-depth searching go to ⬤ LexisNexis·
view all 6 results from Patent Offices
similar results

☐ **5.** Airborne Radar Interference Suppression using Adaptive Three-Dimensional Techniques
[120K]
Oct 2002
...223 C.1 Target Power . . . . 223 C.1.1 Instantaneous Power, **Average Power**, and Total Power . . . . 224 C.2 Noise Power...
[https://research.maxwell.af.mil/papers/ay2002/afit/afi...]
similar results

☐ **6.** Method and system for examining tissue according to the dielectric properties thereof
Hashimshony, Dan, *UNITED STATES PATENT AND TRADEMARK OFFICE PRE-GRANT PUBLICATION*, Oct 2003
patno:US20030187366
...surgical inaccuracy and inadequacy in **excising** the appropriate tissue; 4) failure to...Both pulses are then transformed by a **FFT** function to the frequency domain, i.e...since such a known technique relies on **average power** measurement, and not on voltage measurement...
Full text available at patent office. For more in-depth searching go to ⬤ LexisNexis·
view all 6 results from Patent Offices
similar results

☐ **7.** RADIO COMMUNICATION SYSTEM BASED ON CEPSTRAL MODULATION
FETTE, Bruce / LEAHY, Peter J., *PATENT COOPERATION TREATY APPLICATION*, May 2001
patno:WO0131872
...greater range at some **average power** level, although intervening...desirable tradeoff when the **average power** of transmission would...be extended from the **FFT** and then an IFFT may...is seen by the second **FFT** as a DC or constant value...
Full text available at patent office. For more in-depth searching go to ⬤ LexisNexis·
view all 6 results from Patent Offices
similar results

☐ **8.** Radio communication system and method of operation
Fette, Bruce / Leahy, Peter J., *UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT*, May 2003
patno:US6560445
...greater range at some **average power** level, although intervening...desirable tradeoff when the **average power** of transmission would...be extended from the **FFT** and then an IFFT may...is seen by the second **FFT** as a DC or constant value...
Full text available at patent office. For more in-depth searching go to ⬤ LexisNexis·
view all 6 results from Patent Offices
similar results

⁚⁚fast

| fft AND "average power" AND excising | | Search |

☑ Journal sources   ☑ Preferred Web sources   ☑ Other Web sources   ☐ Exact phrase

IEEE *Xplore* ®
RELEASE 2.3

Welcome United States Patent and Trademark Office

Search Results

BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for "((((fft<in>metadata) <and> (excising<in>metadata))) <and> (pyr >= 19..."   ✉ e-mail
Your search matched **0** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History

New Search

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

((((fft<in>metadata) <and> (excising<in>metadata))) <and> (pyr >= 1950 <and> p| Search

☐ Check to search only within this results set

Display Format: ⊙ Citation ○ Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistan
search.

Help   Contact Us   Privacy & :

Indexed by
🔲 Inspec°

IEEE *Xplore*®
RELEASE 2.3

Welcome United States Patent and Trademark Office

Search Results

BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for "((fft<in>metadata) <and> (narrowband interference<in>metadata))"
Your search matched **1** of **446532** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

☑ e-mail

» Search Options

Underline View Session History

New Search

Modify Search

((fft<in>metadata) <and> (narrowband interference<in>metadata))   Search

☐ Check to search only within this results set

» Key

◉ Citation   ○ Citation & Abstract

Display Format:

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

┌ **view selected items**   **Select All Deselect All**

☐   **1. Interference cancellation for OFDM systems in presence of overlapped na transmission system**
Dan Zhang; Pingyi Fan; Zhigang Cao;
Consumer Electronics, IEEE Transactions on
Volume 50, Issue 1, Feb 2004 Page(s):108 - 114
Digital Object Identifier 10.1109/TCE.2004.1277848

AbstractPlus | Full Text: PDF(821 KB)   **IEEE JNL**
Rights and Permissions

Help   Contact Us   Privacy & ·

Indexed by
Inspec®

IEEE Xplore®
RELEASE 2.3

Welcome United States Patent and Trademark Office

Search Results

BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for "((fft<in>metadata) <and> (narrow-band interference<in>metadata))"
Your search matched **8** of **1577925** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

☑ e-mail

» **Search Options**

View Session History

New Search

Modify Search

((fft<in>metadata) <and> (narrow-band interference<in>metadata))   Search

☐ Check to search only within this results set

» **Key**

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Display Format: ⦿ Citation   ◯ Citation & Abstract

[view selected items]   Select All Deselect All

☐   1. **Frequency domain interference suppression in a DSSS system**
Xiaowen Chen; Wei Guo; Yong Zheng;
Communications, Circuits and Systems and West Sino Expositions, IEEE 2002
Conference on
Volume 1, 29 June-1 July 2002 Page(s):247 - 251 vol.1

AbstractPlus | Full Text: PDF(389 KB)   **IEEE CNF**
Rights and Permissions

☐   2. **A comparative performance evaluation of DMT (OFDM) and DWMT (DSBN communications systems for single and multitone interference**
Akansu, A.N.; Xueming Lin;
Acoustics, Speech, and Signal Processing, 1998. ICASSP '98. Proceedings of
International Conference on
Volume 6, 12-15 May 1998 Page(s):3269 - 3272 vol.6
Digital Object Identifier 10.1109/ICASSP.1998.679562

AbstractPlus | Full Text: PDF(312 KB)   **IEEE CNF**
Rights and Permissions

☐   3. **Narrow-band interference rejection using transform domain signal proce:
DS/FH spread-spectrum system**
Kumpumaki, T.J.; Isohookana, M.A.; Juntti, J.K.;
MILCOM 97 Proceedings
Volume 1, 2-5 Nov. 1997 Page(s):89 - 93 vol.1
Digital Object Identifier 10.1109/MILCOM.1997.648675

AbstractPlus | Full Text: PDF(448 KB)   **IEEE CNF**
Rights and Permissions

☐   4. **An interference suppressor for CW and narrow-band signals using filter I
communications**
Kohri, T.;
Spread Spectrum Techniques and Applications, 1994. IEEE ISSSTA '94., IEEI
International Symposium on
4-6 July 1994 Page(s):521 - 525 vol.2
Digital Object Identifier 10.1109/ISSSTA.1994.379531

AbstractPlus | Full Text: PDF(248 KB)   **IEEE CNF**
Rights and Permissions

5. **Essential limitations to signal detection and estimation: An application tc**

ice environmental noise problem
Dwyer, R.F.;
Proceedings of the IEEE
Volume 72, Issue 11, Nov. 1984 Page(s):1657 - 1660

AbstractPlus | Full Text: PDF(580 KB)   IEEE JNL
Rights and Permissions

6. **An FFT based technique for suppressing narrow-band interference in PN spectrum communications systems**
DiPietro, R.C.;
Acoustics, Speech, and Signal Processing, 1989. ICASSP-89., 1989 Internatio
on
23-26 May 1989 Page(s):1360 - 1363 vol.2
Digital Object Identifier 10.1109/ICASSP.1989.266690

AbstractPlus | Full Text: PDF(268 KB)   IEEE CNF
Rights and Permissions

7. **Narrow-band interference rejection in orthogonal multi-carrier spread-spt communications**
Fazel, K.;
Universal Personal Communications, 1994. Record., 1994 Third Annual Intern
Conference on
27 Sept.-1 Oct. 1994 Page(s):46 - 50
Digital Object Identifier 10.1109/ICUPC.1994.383042

AbstractPlus | Full Text: PDF(376 KB)   IEEE CNF
Rights and Permissions

8. **Radiometric detection of direct-sequence spread spectrum signals with ii excision using the wavelet transform**
Medley, M.; Saulnier, G.J.; Das, P.;
Communications, 1994. ICC 94, SUPERCOMM/ICC '94, Conference Record, !
Through Communications. IEEE International Conference on
1-5 May 1994 Page(s):1648 - 1652 vol.3
Digital Object Identifier 10.1109/ICC.1994.368753

AbstractPlus | Full Text: PDF(484 KB)   IEEE CNF
Rights and Permissions

Help   Contact Us   Privacy & .

Indexed by
Inspec®

IEEE Xplore® RELEASE 2.3

Welcome United States Patent and Trademark Office

⌐□ **Search Results**

BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for "(dipietro r.c.<in>au)"
Your search matched **7** of **1577925** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

✉ e-mail

» **Search Options**

View Session History

New Search

Modify Search

(dipietro r.c.<in>au) | Search |

☐ Check to search only within this results set

Display Format: ⦿ Citation   ○ Citation & Abstract

» **Key**

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

⌐ view selected items   **Select All Deselect All**

☐   1. **SAR imaging of moving targets**
Perry, R.P.; DiPietro, R.C.; Fante, R.L.;
Aerospace and Electronic Systems, IEEE Transactions on
Volume 35, Issue 1, Jan. 1999 Page(s):188 - 200
Digital Object Identifier 10.1109/7.745691

AbstractPlus | Full Text: PDF(1644 KB)   IEEE JNL
Rights and Permissions

☐   2. **Novel frequency domain space-time adaptive architectures for OFDM sys**
DiPietro, R.C.;
Military Communications Conference, 2003. MILCOM 2003. IEEE
Volume 2, 13-16 Oct. 2003 Page(s):1243 - 1248 Vol.2
Digital Object Identifier 10.1109/MILCOM.2003.1290403

AbstractPlus | Full Text: PDF(1472 KB)   IEEE CNF
Rights and Permissions

☐   3. **Space-based bistatic GMTI using low resolution SAR**
DiPietro, R.C.; Fante, R.L.; Perry, R.P.;
Aerospace Conference, 1997. Proceedings., IEEE
Volume 2, 1-8 Feb. 1997 Page(s):181 - 193 vol.2
Digital Object Identifier 10.1109/AERO.1997.577634

AbstractPlus | Full Text: PDF(988 KB)   IEEE CNF
Rights and Permissions

☐   4. **Planar subarray processing for SAR imaging**
Perry, R.P.; DiPietro, R.C.; Johnson, B.L.; Kozma, A.; Vaccaro, J.J.;
Radar Conference, 1995., Record of the IEEE 1995 International
8-11 May 1995 Page(s):473 - 478
Digital Object Identifier 10.1109/RADAR.1995.522594

AbstractPlus | Full Text: PDF(688 KB)   IEEE CNF
Rights and Permissions

☐   5. **Enumeration of fully correlated signals by modified rank sequences**
Cozzens, J.H.; DiPietro, R.C.; Sousa, M.J.;
Acoustics, Speech, and Signal Processing, 1989. ICASSP-89., 1989 Internatio
on
23-26 May 1989 Page(s):2274 - 2277 vol.4
Digital Object Identifier 10.1109/ICASSP.1989.266919

AbstractPlus | Full Text: PDF(212 KB)   IEEE CNF
Rights and Permissions

6. **An FFT based technique for suppressing narrow-band interference in PN spectrum communications systems**
DiPietro, R.C.;
Acoustics, Speech, and Signal Processing, 1989. ICASSP-89., 1989 Internatio
on
23-26 May 1989 Page(s):1360 - 1363 vol.2
Digital Object Identifier 10.1109/ICASSP.1989.266690

AbstractPlus | Full Text: PDF(268 KB)   IEEE CNF
Rights and Permissions

7. **Extended factored space-time processing for airborne radar systems**
DiPietro, R.C.;
Signals, Systems and Computers, 1992. 1992 Conference Record of The Twe
Conference on
26-28 Oct. 1992 Page(s):425 - 430 vol.1
Digital Object Identifier 10.1109/ACSSC.1992.269236

AbstractPlus | Full Text: PDF(492 KB)   IEEE CNF
Rights and Permissions

Help   Contact Us   Privacy & :

Indexed by
Inspec®